



OPEN **Author Correction: Ultrasensitive amplicon barcoding for next-generation sequencing facilitating sequence error and amplification-bias correction**

Ibrahim Ahmed, Felicia A. Tucci, Aure Aflalo, Kenneth G. C. Smith & Rachael J. M. Bashford-Rogers

Correction to: *Scientific Reports* <https://doi.org/10.1038/s41598-020-67290-1>, published online 29 June 2020

A supplementary file containing Supplementary Figures S1-S8 was omitted from this Article. This file is linked to this correction notice.

Additional information

Supplementary information is available for this paper at <https://doi.org/10.1038/s41598-020-74321-4>.



Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>.

© The Author(s) 2020