Temple people Bioarchaeology, resilience and culture in prehistoric Malta

By Simon Stoddart, Ronika K. Power, Jess E. Thompson, Bernardette Mercieca-Spiteri, Rowan McLaughlin, Eóin W. Parkinson, Anthony Pace & Caroline Malone



Volume 3 of Fragility and Sustainability – Studies on Early Malta, the ERC-funded *FRAGSUS Project*

Temple people



McDONALD INSTITUTE MONOGRAPHS

Temple people

Bioarchaeology, resilience and culture in prehistoric Malta

By Simon Stoddart, Ronika K. Power, Jess E. Thompson, Bernardette Mercieca-Spiteri, Rowan McLaughlin, Eóin W. Parkinson, Anthony Pace & Caroline Malone

With contributions by

Bruno Ariano, Robert Barratt, Sara Boyle, Dan Bradley, Laura T. Buck, Jacinta Carruthers, Joel D. Irish, Catherine Kneale, Emma Lightfoot, John S. Magnussen, Caroline Malone, Sarah Massingham, Valeria Mattiangeli, Rowan McLaughlin, John Meneely, Bernardette Mercieca-Spiteri, Argyro Nafplioti, Tamsin C. O'Connell, Anthony Pace, Margery Pardey, Eóin W. Parkinson, Ronika K. Power, Paula Reimer, John Robb, Jaap Saers, Jay T. Stock, Simon Stoddart, Jess E. Thompson, Alessandra Varalli, Nicholas Vella & Hannah Vogel



Volume 3 of Fragility and Sustainability – Studies on Early Malta, the ERC-funded *FRAGSUS Project*







Established by the European Commission

This project has received funding from the European Research Council (ERC) under the European Union's Seventh Framework Programme (FP7-2007-2013) (Grant agreement No. 323727).

Published by: McDonald Institute for Archaeological Research University of Cambridge Downing Street Cambridge, UK CB2 3ER (0)(1223) 339327 eaj31@cam.ac.uk www.mcdonald.cam.ac.uk



McDonald Institute for Archaeological Research, 2022

© 2022 McDonald Institute for Archaeological Research. *Temple people* is made available under a Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 (International) Licence: https://creativecommons.org/licenses/by-nc-nd/4.0/

ISBN: 978-1-913344-08-5

Cover design by Dora Kemp, Caroline Malone and Ben Plumridge. Typesetting and layout by Ben Plumridge.

On the cover: Stick figures from the Circle.

Edited for the Institute by Matthew Davies (Series Editor).

Contents

Contributo Figures Tables In memori In memori Acknowlee Preface	ors am George Mann am Ann Monsarrat dgements	xi xiii xix xxi xxii xxiii xxv xxvii
Chapter 1	 Introduction: people of early Malta and the Circle CAROLINE MALONE, SIMON STODDART, JESS E. THOMPSON & NICHOLAS VELLA 1.1. Introduction 1.2. The origins of work at the Circle: funerary archaeology in Malta 1.3. Dating early Malta and changing approaches to the past: scientific questions and approaches 1.4. Research goals of the Cambridge Gozo Project 1.5. Excavation of the Circle 1.6. Development of methodologies and progress of excavation (1987–94) 1.6.1. The rock-cut tomb methodology 1.6.2. Methodologies of the Cambridge Gozo Project (1987–94) 1.7. The research methodologies of the Cambridge Gozo Project (1987–94) 1.7.1. Methodologies for bioarchaeological analysis 1.8. Recent work 1.9. Reflection 1.10. Impact of the project work, past and present 	1 1 5 5 7 11 11 15 20 21 22 22
Chapter 2	 New approaches to the bioarchaeology of complex multiple interments BERNARDETTE MERCIECA-SPITERI, RONIKA K. POWER, JESS E. THOMPSON, EÓIN W. PARKINSON, JAY T. STOCK, TAMSIN C. O'CONNELL & SIMON STODDART Introduction The research questions of the <i>FRAGSUS</i> Population History Workgroup <i>1. The complex multiple interments at the Circle</i> Methods employed by the <i>FRAGSUS</i> Population History Workgroup The first phase: isolation and archiving The second phase: analyses of the isolated elements The third phase: data analysis and interpretation Other studies <i>1. Funerary taphonomic analysis</i> <i>2. Attric analysis of the long bones: long bone cross-sectional geometry and body size</i> <i>2. Attric analysis of the long bones: long bone cross-sectional geometry and body size</i> Challenges and concluding thoughts 	27 27 27 31 32 34 37 37 37 37 38 38
Chapter 3	The chronology, structure and stratigraphy of the Circle Eóin W. Parkinson, Rowan McLaughlin, Robert Barratt, Sara Boyle, John Meneely, Ronika K. Power, Bernardette Mercieca-Spiteri, Jess E. Thompson, Simon Stoddart & Caroline Malone 3.1. Introduction 3.1.1. Archaeological and environmental context 3.1.2. Digital organization of the excavation data (RMcL, SKFS) 3.1.3. The implementation of appropriate field methods (SKFS & CATM) 3.1.4. Intra-site GIS 3.1.5. 3D modelling and reconstruction	39 39 42 43 43 45

	 3.2. Time: dating and chronological modelling 3.3. Rock-cut tomb: structure and stratigraphy 3.4. Temple Period burial complex 3.4.1. Structure 3.4.2. Stratigraphy 3.5. Discussion and conclusions 	48 50 52 53 54 60
Chapter 4	Dental pathology in the Circle: oral health, activity and intervention in Neolithic Malta Ronika K. Power, Bernardette Mercieca-Spiteri, Rowan McLaughlin, Jess E. Thompson, Jacinta Carruthers, Sarah Massingham, Laura T. Buck, Jaap Saers, Margery Pardey, Jay Stock & John Magnussen	63
	4.1 Introduction	63
	4.2. Dental pathology	64
	4.3. Materials	65
	4.4. Methods	65
	4.5. Results: overview	66
	4.5.1. Enamel hypoplasia	66
	4.5.2. Fluorosis	70
	4.5.3. Carious lesions	70
	4.5.4. Hypercementosis	71
	4.5.5. Fractures: crown and root	74
	4.5.6. Extreme wear	84
	4.5.7. Additional observations: case studies	97
	4.6. Discussion	120
	4.6.1. Limitations of study	120
	4.6.2. The Circle in context	120
	4.7. Conclusion	124
Chapter 5	Dental modification in the Circle: shaping bodies, shaping culture in Neolithic Malta Ronika K. Power, Bernardette Mercieca-Spiteri, Jess E. Thompson, Rowan McLaughlin, Jacinta Carruthers, Laura T. Buck, Jaap Saers, Margery Pardey, Jay Stock & Jami M. Gungary	127
	JOHN WAGNUSSEN	107
	5.1. Introduction 5.2. Peakeround	12/
	5.2. Dackground	120
	5.2.1. Active versus pussive monifications	129
	5.2.2. Ensiory of study in biological antiropology	130
	5.2.5. Dentiut moutification in prenisionic Africa ana Europe	131
	5.5. Matheda	100
	5.4. Methods	133
	5.5. Kesuits: overview	134
	5.5.1. Moatplcation types	138

5.5.1. Modification types	138
5.6. Case studies	155
5.6.1. Congenital variation, cultural intervention, or both?	155
5.6.2. Active modification, passive alteration, or both?	159
5.7. Discussion	161
5.7.1. Limitations of study	161
5.7.2. The Circle in context	162
5.7.3. Demographic insights	163
5.7.4. Aetiologies	164
5.7.5. Cross-cultural insights	165
5.7.6. Chronological insights	167
5.8. Conclusion	170

Chapter 6	Dental anthropology from the Circle: non-metric traits of the posterior dentition and population relationships in the Neolithic Mediterranean RONIKA K. POWER, BERNARDETTE MERCIECA-SPITERI, JAY T. STOCK & JOEL D. IRISH		
	6.1. Introduction	173	
	6.2. Materials	174	
	6.3. Methods	175	
	6.3.1. Data collection	175	
	6.3.2. <i>Quantitative analyses</i>	176	
	6.4. Results	178	
	6.5. Discussion and conclusions	181	
Chapter 7	Physical activity and body size in Temple Period Malta: biomechanical analysis		
	of commingled and fragmentary long bones	183	
	Eóin W. Parkinson & Jay T. Stock		
	7.1. Introduction	183	
	7.2. Materials	184	
	7.2.1. Sampling strategy	184	
	7.2.2. Comparative sample	184	
	7.3. Methods	184	
	7.3.1. Long bone cross-sectional geometry	184	
	7.3.2. Approaches to fragmented material	185	
	7.3.3. Statistical approach	187	
	7.4. Results	187	
	7.4.1. Upper and lower limb CSG properties	187	
	7.4.2. Body size	190	
	7.5. Discussion	190	
	7.6. Conclusion	192	
Chapter 8	General pathology in the Circle: biocultural insights into population health, trauma and care in Neolithic Malta	195	
	Ronika K. Power, Bernardette Mercieca-Spiteri, Jess E. Thompson, Rowan McLaughlin, Jacinta Carruthers, Hannah Vogel, Laura T. Buck, Jaap Saers, Margery Pardey,	1	
	Jay T. Stock & John S. Magnussen		
	8.1. Introduction	195	
	8.2. Materials	195	
	8.3. Methods	197	
	8.4. Results: overview	198	
	8.4.1. Spinal pathologies	199	
	8.4.2. Extreme extremities	199	
	8.4.3. Notable absences	199	
	8.4.4. Persons of interest	202	
	8.4.5. Taphonomic considerations	202	
	8.5. Results: case studies	204	
	8.5.1. Irauma: cranium and mandible	204	
	8.5.2. Other cranial pathology	207	
	8.5.3. Post-cranial pathology	221	
	8.6. Methodology case study: periosteal lesions in Context (960)	241	
	8.6.1. Context (960) aault remains	241	
	8.6.2. Context (960) non-adult remains	254	
	8.7. Discussion	272	
	8.7.1. Limitations of study	272	
	8.7.2. The Circle in context	273	
	8.7.3. The bioarchaeology of care	274	

	 8.7.4. Hyperostosis frontalis interna 8.7.5. Endocranial lesions 8.7.6. Nutrition 8.7.7. Interpersonal violence 8.8. Conclusion 	276 278 280 282 284
Chapter 9	An isotopic study of provenance and residential mobility at the Circle and the Xemxija tombs Argyro Nafplioti, Rowan McLaughlin, Emma Lightfoot, Ronika K. Power, Bernardette Mercieca-Spiteri, Catherine J. Kneale, Tamsin C. O'Connell, Smon Stoppart & Caroline Malone	287
	 9.1. Introduction 9.2. Background 9.2.1. Neolithic transition and population/settlement history in the Maltese Islands 9.3. Materials and methods 9.3.1. Principles of oxygen isotope ratio analysis 9.3.2. Principles of strontium isotope ratio analysis 9.3.3. The geological context 9.3.4. Samples 9.3.5. Sample preparation and analytical procedures 9.4. Results 9.5. Discussion 9.5.1. Variation in oxygen isotope ratio values 9.5.2. Variation in ⁸⁷Sr/⁸⁶Sr values 9.6. Conclusion 	287 287 288 288 288 289 289 290 291 292 292 292 292 293 293
Chapter 10	An isotopic study of palaeodiet at the Circle and the Xemxija tombs Rowan McLaughlin, Ronika K. Power, Bernardette Mercieca-Spiteri, Eóin W. Parkinson, Emma Lightfoot, Alessandra Varalli, Jess E. Thompson, Catherine J. Kneale, Tamsin C. O'Connell, Paula J. Reimer, Simon Stoddart &	295
	10.1. Introduction 10.2. Background: previous work 10.3. Food sources in prehistoric Malta 10.3.1. Tooth enamel samples 10.3.2. Bone collagen 10.4. Data analysis 10.5. Results 10.6. Discussion and conclusion	295 295 296 296 296 296 296 302
Chapter 11	aDNA: an investigation of uniparental genetic heritage in Neolithic Malta Bruno Ariano, Valeria Mattiangeli, Rowan McLaughlin, Ronika K. Power, Jay T. Stock, Bernardette Mercieca-Spiteri, Simon Stoddart, Caroline Malone &	303
	 11.1. Introduction 11.1. Introduction 11.1.1. The genome and ancient DNA 11.1.2. Ancient DNA 11.1.3. Background: the genetic context of the Mesolithic in Europe 11.1.4. The genetic impact of the agricultural revolution 11.1.5. Arrival in Malta 11.2. Research questions 11.3. Methods 11.3.1. aDNA data collection and mitochondrial analysis 11.3.2. Contamination 	303 303 304 304 304 305 306 306 306 306

	 11.3.3. Y-chromosome haplogroup determination 11.3.4. Collection of publicly available data 11.4. Results 11.4.1. Mitochondrial contamination and history 11.4.2. Y-chromosome contamination and lineages 11.5. Discussion 11.6. Conclusion 	306 306 307 307 307 309 310
Chapter 12	Reconstructing deathways at the Circle and the Xemxija tombs through funerary taphonomy Jess. E. Thompson, Ronika K. Power, Bernardette Mercieca-Spiteri, Rowan McLauge	311 ilin,
	John Robb, Simon Stoddart & Caroline Malone	
	12.1. Introduction	311
	12.2. Funerary taphonomy	312
	12.3. Materials and sampling strategy	313
	12.4. Methods	314
	12.5. Results	316
	12.5.1. Skeletal element representation	320
	12.5.3. In situ articulation	326
	12.6. Deathways at the Circle and the Xemxija Tombs	328
	12.7. Conclusion	331
Chapter 13	The development of Late Neolithic burial places in Malta and Gozo: an overview ANTHONY PACE	333
	13.1. Introduction	333
	13.2. Background	333
	13.3. Central Mediterranean beginnings	340
	13.4. The development of burial sites in Malta and Gozo	343
	13.4.1. Ghar Dalam and Skorba	343
	13.4.2. Zebbuġ	343
	13.4.3. Ggantija	346
	13.4.4. Tarxien	350
	13.5. Neolithic architecture	352
	13.6. Summary	354
Chapter 14	Conclusion: current inferences from the study of death in prehistoric Malta Simon Stoddart, Caroline Malone, Ronika K. Power, Rowan McLaughlin & Lege F. Tuompson	355
	14.1. The state of death in prehistoric Malta	355
	14.2. The sample	357
	14.3. Who was buried?	358
	14.4. When were they buried?	359
	14.5. Can we identify changes in the health of the prehistoric populations?	360
	14.6. Contemporary body concepts and belief in Neolithic Malta	360
	14.7. Conclusion	363
	14.8. Whither death studies in Malta?	363
References	;	365
Appendix 1	Archive images from the 1987–94 campaign	409
Appendix 2	Tables	451
Glossary		469
Index		471

Contributors

BRUNO ARIANO Smurfit Institute of Genetics, School of Genetics and Microbiology, Trinity College Dublin, Dublin 2, D02 VF25, Ireland Email: arianob@tcd.ie

ROBERT PETER BARRATT School of Natural and Built Environment, Queen's University Belfast, UK Email: rbarratt01@qub.ac.uk

SARA BOYLE (now STEWART) Ordnance Survey Northern Ireland, Land and Property Services, Lanyon Plaza, 7 Lanyon Place, Town Parks, Belfast, Northern Ireland.

Laura T. Buck

Research Centre for Evolutionary Anthropology and Palaeoecology, Liverpool John Moores University, United Kingdom / Cambridge Biotomography Centre, University of Cambridge, Cambridge, United Kingdom Email: l.buck@ljmu.ac.uk

DAN BRADLEY Smurfit Institute of Genetics, School of Genetics and Microbiology, Trinity College Dublin Dublin 2, D02 VF25, Ireland Email: DBRADLEY@tcd.ie

JACINTA CARRUTHERS Department of History and Archaeology, Macquarie University, Sydney, Australia Email: jacinta.carruthers@mq.edu.au

JOEL D. IRISH School of Biological and Environmental Sciences, Research Centre for Evolutionary Anthropology and Palaeoecology, Liverpool John Moores University, Liverpool, United Kingdom Email: J.D.Irish@ljmu.ac.uk

CATHERINE J. KNEALE McDonald Institute for Archaeological Research, Department of Archaeology, University of Cambridge, Cambridge, United Kingdom Email: cjk37@cam.ac.uk

Emma Lightfoot

c/o McDonald Institute for Archaeological Research, Department of Archaeology, University of Cambridge, Cambridge, United Kingdom.

John S. Magnussen

Department of Clinical Medicine, Faculty of Medicine Health and Human Sciences, Macquarie University, Sydney, Australia Email: john.magnussen@mq.edu.au

CAROLINE MALONE

School of Natural and Built Environment, Queen's University Belfast Email: c.malone@qub.ac.uk & caroline.stoddart@cantab.net

Sarah Massingham Department of History and Archaeology, Macquarie University, Sydney, Australia Email: sarah.massingham@hdr.mq.edu.au

Valeria Mattiangeli

Smurfit Institute of Genetics, School of Genetics and Microbiology, Trinity College Dublin, Dublin 2, D02 VF25, Ireland Email: mattianv@tcd.ie

Rowan McLaughlin School of Natural and Built Environment, Queen's University Belfast, UK. Email: r.mclaughlin@qub.ac.uk

JOHN MENEELY School of Natural and Built Environment, Queen's University Belfast, UK Email: j.meneely@qub.ac.uk

Bernardette Mercieca-Spiteri National Inventory, Research and Archaeology Unit, Superintendence of Cultural Heritage, Valletta Malta Email: bernardette.mercieca@gov.mt ARGYRO NAFPLIOTI Ancient DNA Lab, Institute of Molecular Biology and Biotechnology (IMBB), FORTH, Heraklion, Greece / formerly McDonald Institute for Archaeological research, Department of Archaeology, University of Cambridge, Cambridge, United Kingdom. Email: argyro.nafplioti@googlemail.com

TAMSIN C. O'CONNELL McDonald Institute for Archaeological Research, Department of Archaeology, University of Cambridge, Cambridge, United Kingdom Email: tco21@cam.ac.uk

Eóin W. Parkinson Department of Classics & Archaeology, University of Malta, Msida, Malta Email: ewparkinson24@gmail.com

ANTHONY PACE Former Superintendent of Cultural Heritage Malta, Malta Email: anthonypace@cantab.net

MARGERY PARDEY Department of Clinical Medicine, Faculty of Medicine Health and Human Sciences, Macquarie University, Sydney, Australia Email: margery.pardey@mq.edu.au

Ronika K. Power

Department of History and Archaeology, Macquarie University, Sydney, Australia/ formerly McDonald Institute for Archaeological Research, Department of Archaeology, University of Cambridge, Cambridge, United Kingdom Email: ronika.power@mq.edu.au

PAULA J. REIMER School of Natural and Built Environment, Queen's University Belfast, UK Email: p.j.reimer@qub.ac.uk

John Robb

McDonald Institute for Archaeological Research, Department of Archaeology, University of Cambridge, Cambridge, United Kingdom Email: jer39@cam.ac.uk

JAAP SAERS

McDonald Institute for Archaeological Research, Department of Archaeology, University of Cambridge, Cambridge, United Kingdom Email: jpps2@cam.ac.uk

Јач Т. Ѕтоск

Department of Anthropology, University of Western Ontario, London, Canada / Department of Archaeology, Max Planck Institute for the Science of Human History, Jena, Germany Email: jay.stock@uwo.ca

Simon Stoddart

McDonald Institute for Archaeological Research, Department of Archaeology, University of Cambridge, Cambridge, United Kingdom Email: ss16@cam.ac.uk

Jess E. Thompson

McDonald Institute for Archaeological Research, Department of Archaeology, University of Cambridge, Cambridge, United Kingdom Email: jet71@cam.ac.uk

Alessandra Varalli

Department of Humanities, Universitat Pompeu Fabra, Barcelona Email: alessandravaralli@gmail.com

NICHOLAS VELLA

Department of Archaeology and Classics, University of Malta, Msida, Malta Email: nicholas.vella@um.edu.mt

HANNAH VOGEL Department of History and Archaeology, Macquarie University, Sydney, Australia Email: hannah.vogel@hdr.mq.edu.au

Figures

0.1.	George and Sheila Mann.	xxi
0.2.	George Mann at work.	xxii
0.3.	Sheila Mann cleaning bones.	xxii
0.4.	Anne Monsarrat.	xxiii
1.1.	Ġgantija's World Heritage status inscribed at the Visitor Centre.	4
1.2.	Preliminary sketch of the Circle, Bayer's excavation and aerial view.	6
1.3.	Unknown stone structures on Gozo.	7
1.4.	The 'Circle' field before excavation in 1987.	7
1.5.	Mikiel Bartolo, the elderly tenant of the field, in 1987.	7
1.6.	First trenches in 1987–88.	8
1.7.	Excavation of rock-cut tomb.	9
1.8.	Site in 1989–90.	10
1.9.	Site in 1990–92.	12
1.10.	Excavations in 1993 of Contexts (783), (783), (951) and the 'Shrine'.	13
1.11.	Excavation recordings.	14
1.12.	Clearance of the Circle in 1989.	16
1.13.	Bone recording in the field.	17
1.14.	Amalgamated bone plan for (783).	18
1.15.	<i>Digital scan of the Circle cavity in 2015.</i>	19
1.16.	<i>Virtual reality study of the Circle caves.</i>	19
1.17.	GIS study of the excavated bones in (783).	20
1.18.	Collecting the bones transported in the Royal Yacht Britannia in 1995.	21
1.19.	Graph showing the output arising from the Circle research.	23
2.1.	The site under excavation.	28
2.2.	Skeletons in situ showing partial articulation.	30
2.3.	Disarticulated bone in situ.	30
2.4.	Commingled bones with original label.	31
2.5.	Population History Workgroup examining bone and cleaning.	33
2.0.	Population History Workgroup isolating teetn.	33
2.7.	Population History Workgroup CT-scanning.	30
2.0.	Population History Workgroup C1-scanning.	30
2.7.	Location man of the Circle on the Yaohra plateau Cozo	30 40
2.2	2D reconstruction of the Circle marking the main grage	40
3.2.	D reconstruction of the Circle mutring the mutri uteus.	40
3.3.	3D reconstructions of the Circle developed by the INISITE project of the University of Bristol	41
3.5	Output from the Visibility Manning tool for the Circle	45
3.6	Use of computer model for celestial alignments	46
37	Elements of the wire frame for a 3D reconstruction	46
3.8.	Reconstruction of external view of the Circle	47
3.9.	Reconstruction of the steps into the Circle	47
3.10.	Reconstruction showing low roof of inner parts of the Circle.	48
3.11.	<i>Kernel Density Estimation (KDE) models of radiocarbon-dated burials at the Circle.</i>	49
3.12.	Bayesian model of the chronology of selected contexts and events.	50
3.13.	Section of the rock-cut tomb.	51
3.14.	Plan of the rock-cut tomb.	51
3.15.	GIS digitized human bone and overall density of human bone in the Shrine.	55
3.16.	Density of burial activity in context (1328) and (1268).	56
3.17.	Density of burial activity in context (1206) and (960).	57
3.18.	Limits of the principal contexts of the Shrine.	57
3.19.	Burial deposit 783 density.	58
3.20.	Location of the path through the Display Zone and distribution of the fragmented standing figure.	59

4 1	A trained according to for a large start of the large burgers to the form the Circle successions	((
4.1.	A typical assortment of postmortem exfoliated loose human teeth from the Circle excavations.	66
4.2.	Frequency distribution of dental pathology observations.	67
4.5.	Frequency distribution of enamel hypoplasia observations by chronological phases.	60
4.4.	Frequency distribution of enumel hypoplasia observations by proportion.	60
4.5.	Frequency distribution of enamel hypoplasia observations in deciduous dentition.	60
4.0.	Frequency distribution of enumer hypoplasia observations in decladous dentition by proportion.	09 71
4.7.	Frequency distribution of carious lesion observations by time and proportion	71
4.0.	Framples of permanent mandibular incisors presenting manalous from Context (783)	71
4.9.	Examples of permanent manadoual incisions presenting manadons from Context (705). Frequency distribution of hypercementosis observations by contexts	74
4.10.	Frequency distribution of hypercementosis observations by contexts.	74
4.11. 4.12	Frequency distribution of crown fracture observations by chronology.	75
4 13	Frequency distribution of crown fracture observations by contrology.	76
4.15.	Dunamic schema of crozon fracture observations by tooth type.	70
4 15	Erequency distribution of crown fracture observations by tooln type and arcue suce.	77
4.15.	Dunamic schema of crozon fracture observations across specific cusp locations.	78
4.10.	Frequency distribution of crown fracture observations across general cush locations	70
4.18	Dunamic schema of crozon fracture observations across general cush locations	79
4.10.	Complicated vertical crown and root fracture	82
4 20	Complicated vertical crown and root fractures	82
4 21	Complicated vertical crown and root fractures.	83
4 22	Complicated vertical crown and root fractures.	83
4 23	Complicated vertical crown and root fracture	83
4 24	Ereavency distribution of extreme wear observations by chronological phases	85
4.25.	Frequency distribution of extreme wear observations by proportion	85
4.26.	Frequency distribution of extreme wear observations by propertien.	85
4.27.	Dynamic schema of extreme wear observations by tooth type.	86
4.28.	<i>Event and the second of extreme wear observations by location and orientation.</i>	86
4.29.	Frequency distribution of labial extreme wear observations.	87
4.30.	Frequency distribution of lingual extreme wear observations	88
4.31.	Frequency distribution of extreme diagonal wear observations.	89
4.32.	Frequency distribution of extreme approximately vertical wear observations.	89
4.33.	<i>Frequency distribution of extreme wear beyond the cementum enamel junction observations.</i>	90
4.34.	Frequency distribution of maxillary labial crescentic wear.	90
4.35.	Frequency distribution of mandibular labial crescentic wear.	91
4.36.	Intact adult left maxillary arcade.	91
4.37.	Frequency distribution of extreme wear observations.	93
4.38.	<i>Dynamic schema of extreme wear observations across specific cusp locations.</i>	93
4.39.	Frequency distribution of extreme wear observations across general cusp locations.	94
4.40.	Dynamic schema of extreme wear observations across general cusp locations.	95
4.41.	Fragment of adult left mandibular corpus.	97
4.42.	Mandibular corpus fragment.	98
4.43.	Mandibular corpus fragment.	100
4.44.	Examples of extreme calculus deposition.	102
4.45.	Examples of 'peg' maxillary lateral incisors.	104
4.46.	Examples of accessory root(let)s.	104
4.47.	Examples of dilaceration, cervical carious lesion and hypercementosis.	105
4.48.	Examples of fusion.	105
4.49.	Examples of dwarfism.	106
4.50.	Fragmentary left adult maxilla and mandible.	107
4.51.	Fragmentary right adult maxillae.	108
4.52.	Fragmentary refitting right and left adult maxillae.	109
4.53.	Fragmentary right adult maxilla.	110
4.54.	Fragmentary refitting right and left adult maxillae.	111

4.55.	Fragmentary articulating left and right adult maxillae.	112
4.56.	Fragmentary articulating left and right adult maxillae.	113
4.57.	Fragmentary maxillae from Context (1328) and Context (1206).	114
4.58.	Fragmentary splanchnocranium from Context (1206).	115
4.59.	Fragmentary articulating left and right adult maxillae from Context (845).	116
4.60.	Fragmentary left adult mandibular corpus from Context (876).	117
4.61.	Schematic chronological representation of dental pathology incidence.	122
5.1.	Frequency distribution of dental modification observations by chronological phases.	135
5.2.	Frequency distribution of tooth types featuring dental modification.	136
5.3.	<i>Dynamic schema of dental modification observations by permanent anterior tooth type and arcade side.</i>	137
5.4.	Dynamic schema of dental modification observations by deciduous anterior tooth type and arcade side.	137
5.5.	<i>Frequency distribution of dental modification types.</i>	138
5.6.	Examples of chipping modifications.	139
5.7.	Frequency distribution of chipping modifications by chronology.	139
5.8.	Frequency distribution of chipping by tooth types.	140
5.9.	Frequency distribution of chipping by quadrants.	140
5.10.	Examples of incisal notch modifications.	141
5.11.	Frequency distribution of incisal notch modifications by chronology.	142
5.12.	Frequency distribution of incisal notches by tooth types.	142
5.13.	Frequency distribution of incisal notches by quadrants.	143
5.14.	Examples of labial extreme wear modifications.	144
5.15.	Frequency distribution of labial extreme wear by chronology.	145
5.16.	Frequency distribution of labial extreme wear by tooth types.	145
5.17.	Frequency distribution of labial extreme wear by quadrants.	140
5.10. E 10	Examples of lingual extreme wear monifications.	147
5.19.	Frequency distribution of lingual extreme wear by chronology.	147
5.20.	Frequency distribution of labial extreme wear by coolin types.	140
5.21.	Frequency distribution of tubilit extreme wear by quadrants.	140
5.22.	Examples of angonal profile moufications.	149
5.23.	Frequency distribution of diagonal profile modification by chronology.	150
5.24.	Frequency distribution of diagonal profile modification by work types.	151
5.25.	Frequency distribution of undulating profile modification by quaurants.	151
5.20.	Frequency distribution of undulating profile modification by contrology.	152
5.28	Frequency distribution of undulating profile modification by coordingte.	153
5.29.	Almost complete skull of probable female adult individual with variation of eruntion and alignment	156
5.30.	3D render and cross sections of cranium in anterior, right lateral and nosterior views	157
5.31.	Adult snlanchnocranium featuring modification of the left and right maxillary central incisors	160
5.32.	Schematic chronological representation of dental modification incidence.	169
6.1.	Three-dimensional MDS of 12-trait MMD distances.	181
6.2.	Two-dimensional scatterplot relative to the 13 comparative samples.	181
7.1.	Examples of divitally reconstructed humeri.	186
7.2.	Example of shape fitting method applied to fragmented femoral head.	187
7.3.	Comparison of solid CSG properties of the humerus between Xaghra and central Italy.	188
7.4.	Comparison of solid CSG properties of the femur between Xaghra and central Italy.	189
7.5.	Comparison of solid CSG properties of the tibia between Xaghra and central Italy.	189
7.6.	Side differences in TA and J of the humerus at Xaghra.	189
7.7.	Side differences in cross-sectional shape of the humerus at Xaghra.	189
7.8.	Comparisons of estimated stature and body mass between Xaghra and central Italy.	190
8.1.	Typical disarticulated, fragmented and commingled human remains.	196
8.2.	Frequency distribution of human remains of special interest from the Circle.	198
8.3.	A representative selection of vertebrae presenting extreme pathology.	200
8.4.	A representative selection of metacarpals, metatarsals and phalanges presenting extreme pathology.	201
8.5.	A selection of indicators showing site used across the life course.	203

8.6.	Images of mandible from Context (951) detailing healed fracture.	205
8.7.	Images of adult mandible from Context (951) detailing healed fracture.	206
8.8.	Fragmentary remains of healed nasal bone in cranium from Context (468).	207
8.9.	Adult cranium from Context (783) with focal depression on ectocranial surface.	208
8.10.	Adult cranium from Context (1238) with two focal depressions on the ectocranial surface.	209
8.11.	Assorted adult cranial fragments from Context (951) with abnormal endocranial focal impressions.	210
8.12.	Assorted adult cranial fragments from Context (951) with abnormal endocranial focal impressions.	211
8.13.	Adult right parietal fragment from Context (951) with abnormal endocranial focal impressions.	212
8.14.	Adult left parietal fragments from Context (951) with abnormal endocranial focal impressions.	213
8.15.	Assorted adult cranial fragments from Context (518) with abnormal endocranial focal impressions.	214
8.16.	Assorted adult cranial fragments from Context (838) with abnormal endocranial focal impressions.	215
8.17.	Photographic and radiological images of adult frontal bone from Context (1268).	216
8.18.	Photographic and radiological images of fragmentary adult cranium.	217
8.19.	Photographic and radiological images detailing endocranial lesion in the frontal fossa.	218
8.20.	Radiological images detailing a proliferative endocranial lesion within the frontal fossa.	220
8.21.	Images of second cervical vertebra exhibiting severe degenerative joint disease and dysplasia.	221
8.22.	Photographic and radiological images of twelfth thoracic vertebra from Context (1024).	222
8.23.	Fragment of adult lumbar vertebral body exhibiting a central compression fracture.	224
8.24.	Images of first lumbar vertebra exhibiting a central compression fracture.	225
8.25.	Images of a fragment of adult lumbar vertebral body exhibiting a central compression fracture.	226
8.26.	Fragment of adult lumbar vertebral body exhibiting an anterior compression fracture.	227
8.27.	Images of right humerus detailing a complex non-reduced healed fracture.	229
8.28.	Fragment of adult right humerus exhibiting dysplasia of the of the mid-diaphysis.	230
8.29.	Images of right ulna detailing a healed fracture of the distal diaphysis.	231
8.30.	Images of left ulna detailing a healed fracture of the distal diaphysis.	233
8.31.	Images of left ulna a healed fracture of the distal diaphysis.	234
8.32.	Images of adult right ulna detailing a healed fracture of the distal diaphysis.	235
8.33.	Complete adult left ulna exhibiting healed fracture of the styloid process.	236
8.34.	Fragmentary adult right ulna exhibiting healed fracture of the styloid process.	237
8.35.	Images of left femur detailing a complete non-reduced healed transverse fracture.	238
8.36.	Images of fragmentary tibia and fibula detailing fusion of the distal diaphysis and metaphyses.	240
8.37.	Images of left radius depicting refitted fragments and periosteal lesions.	243
8.38.	Images of left ulna depicting refitted fragments and periosteal lesions.	244
8.39.	Images of left femur depicting refitted fragments and periosteal lesions.	246
8.40.	Images of right tibia depicting periosteal lesions on the refitted fragments of the proximal diaphysis.	248
8.41.	Images of left flould depicting periosteal lesions traversing the refitted fragments.	250
8.42.	Images of right flouid depicting periosteal lesions traversing the refitted fragments.	252
8.43.	Fragmentea adult left radius and ulna from Context (960).	253
0.44.	Images of frontal from Context (960) displaying extensive periosteal lesions.	200
0.45. 9.46	Images of frontal from Context (960) displaying extensive periosteal lesions.	257
0.40. 9 47	Images of John Longer Context (960) displaying extensive periosteal lesions.	209
0.47.	Images of test 29goma from Context (960) displaying extensive periosieal testons.	260
0.40. 9 /0	Images of non-adult laft rib from Context (960) displaying focal periosteal lesions.	203
8 50	Images of non-adult right right rom Context (960) displaying focul periosteal lesions.	200
8.50. 8.51	Images of non-unut right no from Context (900) displaying jocul periosten testons.	209
0.51. 9 1	Binlat of oxugen and carbon isotone ratios	207
9.1.	Histoaram of enamel 8180n values indicating a himodal distribution	207
93	Rinlat of enamel δ^{18} On and strontium isotone ratio values	290
9.4	Historian of enamel strontium isotone ratios	292
9.5	Boxnlot of average enamel δ^{18} O values for four categories of context stratified in time	292
10.1	Strincharts indicating the range and distribution of carbon and nitrogen isotone values	298
10.2.	Biplot of bone collagen carbon and nitrogen isotopic values.	298
10.3.	Modelled contribution of foods to the valaeodiet.	299

10 /	Porplate of the main isotonic regults by context	200
10.4.	Nitroom isotonic values of animal have collegen	201
10.5.	Multiple repression modelling the dependence of nitrogen 15 reduce on time	201
10.0.	Reconstruction of the Circle	205
11.1.	Distribution of ancient mitochondrial hanlogroups in Eurasia	308
11.2.	Distribution of ancient Y hanlogroups in ancient Eurosia	300
11.3.	Hastman illustrating the location of remains analysed from the Circle	309
12.1.	Control this mine continuous and delemination indicating quathering on hone	219
12.2.	Lucast modifications to a range of elements from the Yamrija and Circle rock sut tombs	218
12.3.	Padent engine to dements from the Yempile Tombe	210
12.4.	Roueni gnuwing to elements from the Aemaria from Context (226) of the Circle rock out tomb	220
12.5.	Skalatal alamant representation in the Yemrija Tombe indicating a residual nattorn	220
12.0.	Skeletal element representation profiles reflecting cranial curation	222
12.7.	Skeletal element representation profiles reflecting crunial curation.	223
12.0.	Skeletal element representation profiles with an over-representation of long bones.	323 224
12.9.	Skeletal element representation profiles indicating primary successive deposition.	324 225
12.10.	Skeletal element representation projites indicating primary successive deposition.	323
12.11.	Articulated non-adult skeleton in spit 5 at the base of (785).	320
12.12.	Remains of primary innumations eoluent as axial skeletons in spit 3.	327
12.13.	Perinute in (1206), spit 4, units 23 unu 25.	327
12.14.	Infunt (1206), spit 5, skeleton 19.	327
12.15.	Proposea moael of aeathways.	329
13.1.	Distribution of rock-cut burial sites referred to in this chapter.	334
13.2.	Ola view of the Hal Safilent Hypogeum.	334
13.3.	Buqana tomb ana the burial cave at Bur Megnez.	336
13.4.	Bur Megnez aeriai photo ana pian.	337
13.5.	Regional presence of rock-cut tomos in the Central Meatterranean.	341
13.6.	Schematic flow chart summarising changes in mortuary custom, landscape and settlement.	342
13.7.	Zebbug Phase tombs.	344
13.8.	Ggantija Phase rock-cut tombs.	346
13.9.	Spatial patterning of rock-cut tombs from the Zebbug through to the Tarxien phases.	348
13.10.	Map of the Xaghra Plateau, Gozo.	349
13.11.	Map of the Tarxien, Korain and Santa Lucija plateau.	350
13.12.	Map of the Aemxija promontory.	351
13.13.	Plan of levels 2 and 3 of the Hal Safilent Hypogeum.	352
13.14.	Site plan of the Circle.	353
A1.1.	The lower field below the Circle in 1987.	410
A1.2.	View to the southeast towards the excavation of the rock-cut tomb in 1989.	410
A1.3.	Rock-cut tomb under excavation, with Bridget Trump in the entrance to the West chamber in 1988.	411
A1.4.	west chumber of the rock-cut tomo in 1988, exposing human remains deposited in an ochred matrix.	411
A1.5.	Assembluge of numan remains and ceramic sherds under excavation in the East chamber.	412
A1.0.	Large ceramic Zeobag shera surrounaea by rea ochre ana jragmeniea naman remains.	412
A1.7.	Deposit of commingled numan and faunal remains in the rock-cut tomo.	413
A1.0.	Group of usurilculated human remains lowards the edge of the vvest chamber.	415
A1.9.	Group of frugmented numan remains in the view the entreprise to the Fast showler	414
A1.10.	Large tritton shell against ceramic shera below the entrance to the East chamber.	414
A1.11.	Milital Partolo, the addedu tougat formula minitian the Circle.	415
A1.12.	View to the northeast in 1920, overlooking apply exception of the East Came and rock out touch	413 416
A1 14	view to the northeast in 1303, overtooking early excuoution of the East Cave and rock-cut 10mo.	410 //16
Λ1.14. Λ1 15	Context (357) in the upper level of the North house pit aujucent to the intestiona.	410
A1 16	Context (022) in the min-weeks of the North Volle pil.	417 717
A1.10.	Context (622) or (622) in the mid lorgels of the North house wit	417 710
Λ1 10	A fragment of right ilium is articulated with a femur and natella in Context (700)	410 /10
A1 10	The undisturbed remains of an adult male in the base levels of the North house nit	410
A1.19.	the undistatoed remains of an addit male in the case levels of the North bone pit.	419

A1.20.	Excavation in 1993 showing upper levels in the 'Shrine' area.	419
A1.21.	The stone bowl (841) prior to excavation.	420
A1.22.	Articulated and nearly complete hand preserved at the base of the stone bowl in Context (842).	420
A1.23.	Twin-seated figure (SF743) and ceramic strainer in situ in Context (831).	421
A1.24.	Figurine cache (SF784) under excavation in Context (831) by conservator Carol Brown, 1991.	421
A1.25.	<i>Figurine cache (SF784) fully excavated and in situ in Context (831), 1991.</i>	422
A1.26.	<i>Context (960) under excavation in the upper levels of the 'Shrine'.</i>	422
A1.27.	Articulated and almost complete infant skeleton in Context (960).	423
A1.28.	Row of crania and skulls deposited in varying positions in Context (960).	423
A1.29.	Pit deposit (Contexts 980/979) in the upper level of the 'Shrine'.	424
A1.30.	Context (1206) in the mid-level of the 'Shrine'.	424
A1.31.	Most of an articulated adolescent skeleton within Context (1206).	425
A1.32.	Semi-articulated thoracic region, pelvic girdle and upper legs of an adult skeleton.	425
A1.33.	Articulated and nearly complete infant skeleton in Context (1206).	426
A1.34.	Discrete bone group in Context (1206).	426
A1.35.	Articulated adult skeleton in the lower levels of the Shrine, in Context (1268).	427
A1.30.	Bone bunales in Context (1328). Ministrum Gouving (SE510) served into a modial wholeway of Opia/Course	42/
A1.37.	Niniuture figurine (SF516) curoeu into u meutui phuunx of Oois/Cupru.	428
A1.30.	North Niche Vieweu from the North.	420
A1.39.	Almost complete unicululed leg in Context (845) within the North Niche.	429
A1.40.	19th conturn dog hurid in Context (020) at the base of the nit excepted by Bayer	429
A1.41.	Danse denosit of mostly disarticulated house in Context (933) in the unner levels of the Deen Zone	430
Δ1 43	Contexts (951) and (1144) the major hone denosits in the Deep Zone.	430
A1.45.	Eraomented denosits of disarticulate hone in Context (951)	431
A1 45	Rone oroun in Context (951)	432
A1.46.	Group of fragmented crania in Context (951), denosited in varying positions	432
A1.47.	Semi-articulated lower leg and foot in Context (1957) in the lower levels of the Deen Zone	433
A1.48.	Small limestone figurine (SF1184) from Context (474) in the upper level of the Display Zone.	433
A1.49.	Figurine SF775 in situ during excavation of Context (783) in the Display Zone.	434
A1.50.	Context (518) in the West niche, adjacent to the Display Zone.	434
A1.51.	Upper levels of Context (783), in the Display Zone, under excavation in 1991.	435
A1.52.	Cranial cluster and various other elements abutting a megalith in Context (518).	435
A1.53.	Articulate ribs and column in Context (783).	436
A1.54.	Context (997), spit 4, in the West niche, exposing the skull and articulated cervical vertebrae.	436
A1.55.	Semi-articulated skull and torso of an adult female in Context (518).	437
A1.56.	Adult skull adjacent to an articulated infant lower arm and hand in Context (783).	437
A1.57.	Articulated skull with cervical, thoracic and lumbar vertebrae in Context (783) in the Display Zone.	438
A1.58.	Articulated thoracic region in Context (783).	438
A1.59.	Articulated right lower leg and foot in Context (783).	439
A1.60.	Deposit of disarticulated and semi-articulated remains in Context (783) in the Display Zone.	439
A1.61.	Semi-articulated adult individual in Context (783).	440
A1.62.	Semi-articulate torso with ribs and femurs associated in Context (783).	440
A1.63.	Deposit under excavation in Context (783), revealing a mixture of semi-articulated skeletal regions.	441
A1.64.	<i>Figurine SF788</i> in situ during excavation of Context (783) in the Display Zone.	441
A1.65.	Drawing of restored SF788.	441
A1.66.	Head of SF/84/5 with the emerging cache stone figures revealed in 1991.	442
A1.67.	Group of terracotta figurines.	442
A1.68.	Fragmented skull and cervical vertebrae exposed in Context (704).	443
A1.69.	Cranium of an adult male deposited alongside a boar skull in the northern burial niche.	443
A1.70.	Context (1067) in the East Cave contained a partial semi-articulated child skeleton.	444
A1.71.	INON-uuuit remuins in the Central pit above the East Cave roof collapse, in Context (436).	444
A1.72.	Done group including long vones, rivs and manufole in the Central pit above the East Cave roof.	445
A1./3.	Articulated rios and thoracic verteorae, as well as nana bones, in the Central pit.	445

A1.74.	Betyl Zone bordering the Southeast corner of the East Cave.	446
A1.75.	View into the Central Zone of the East Cave.	446
A1.76.	View of the Central Zone of the East Cave from the South showing remnant cave roof, 1991.	447
A1.77.	View of the West Cave and East Cave systems from the southwest.	447
A1.78.	Mikiel Bartolo, the tenant of the Circle field, visiting in 1988.	448
A1.79.	Caroline Malone, Simon Stoddart and David Trump in 1994.	448
A1.80.	Simon Stoddart and David Trump touring the site in 1991.	449
A1.81.	David Trump sorting through ceramic sherds.	449
A1.82.	Corinne Duhig refitting a fragmented cranium.	450

Tables

2.1.	Studies carried out on the Circle assemblage.	32
2.2.	Isolated bone elements.	34
4.1.	Materials included in pathology study, including provenance and representation.	65
4.2.	Pathology summary by context and chronology.	67
4.3.	Summary of observations of frequency and reported locations of carious lesions.	71
5.1.	Materials included in dental studies, including provenance and representation.	133
5.2.	Dental modification of anterior teeth summary by context and chronology.	135
5.3.	Extreme wear of anterior teeth summary by context, chronology and tooth surface observations.	136
6.1.	Materials included in pathology study, including provenance and representation.	175
6.2.	The 13 comparative dental samples.	176
6.3.	Frequencies of the 39 dental traits by ASUDAS grade.	177
6.4.	Dental trait percentages and number of individuals scored.	178
6.5.	Component loadings, eigenvalues, and variance explained for 22 traits.	180
6.6.	Pairwise distances between Malta and the 13 comparative samples.	180
7.1.	Cross-sectional geometric properties used in the study.	185
7.2.	Summary statistics and results of independent t-test of upper limb (humerus).	187
7.3.	Summary statistics and results of independent t-test of lower limb (femur and tibia).	188
7.4.	Descriptive statistics for CSG properties of the humerus.	188
7.5.	Descriptive statistics and results of independent t-tests comparing body mass and stature.	190
10.1.	Comparative terrestrial faunal isotope data from the Maltese Islands.	296
10.2.	Comparative stable isotope measurements from ancient fish bone collagen.	296
10.3.	Summary results for each site.	297
10.4.	Offsets between the $\delta^{15}N_{coll}$ and $\delta^{13}C_{coll}$ human and animal values.	299
10.5.	Number of samples of human bone from well-sampled contexts subjected to isotopic analysis.	300
11.1.	Results from the contamination analysis.	307
11.2.	Haplogroup assignment from Haplofind.	307
11.3.	Sex assignment for each sample.	307
11.4.	Values associated with contamination level using the X chromosome in male individuals.	307
12.1.	Total number of fragments analysed from the Xemxija Tombs and contexts at the Circle.	313
12.2.	Description of taphonomic variables recorded in this study.	315
12.3.	Overall taphonomic results for the Xemxija Tombs and the Circle.	317
12.4.	Examples of typical funerary practices and their expected skeletal part representation.	321
12.5.	Chronological phasing of contexts and dominant funerary practices	328
13.1.	Catalogue of known and likely late Neolithic burial sites in Malta and Gozo.	335
13.2.	Prehistoric burial sequence based on ceramic remains identified from rock-cut tombs.	338
14.1.	Known prehistoric funerary remains in the Maltese Islands.	356
A2.1.	Radiocarbon dates.	451
A2.2.	Strontium and oxygen isotope results.	453
A2.3.	Palaeodietary results from human remains from the Circle.	456
A2.4.	Palaeodietary results from human remains from Xemxija.	459
A2.5.	MNE and BRI for all adult skeletal elements from the Xemxija Tombs.	460

A2.6.	MNE and BRI for all non-adult skeletal elements from the Xemxija Tombs.	460
A2.7.	MNE, MNI, BRI and FI for (276) in the West chamber of the rock-cut tomb.	461
A2.8.	MNE, MNI, BRI and FI for (326) in the East chamber of the rock-cut tomb.	461
A2.9.	MNE, MNI, BRI and FI for (354) in the North bone pit.	462
A2.10.	MNE, MNI, BRI and FI for (799) in the North bone pit.	462
A2.11.	MNE, MNI, BRI and FI for (783) in the Display zone.	463
A2.12.	MNE, MNI, BRI and FI for (951) in the Deep zone.	463
A2.13.	MNE, MNI, BRI and FI for (1144) in the Deep zone.	464
A2.14.	MNE, MNI, BRI and FI for (1307) in the Deep zone.	464
A2.15.	MNE, MNI, BRI and FI for (960) in the 'Shrine'.	465
A2.16.	MNE, MNI, BRI and FI for (1024) in the 'Shrine'.	465
A2.17.	MNE, MNI, BRI and FI for (1206) in the 'Shrine'.	466
A2.18.	MNE, MNI, BRI and FI for (436) in the Central pit.	466
A2.19.	MNE, MNI, BRI and FI for (743) in the Central bone pit.	467
A2.20.	MNE, MNI, BRI and FI for (595) in the Southwest niche.	467
A2.21.	MNE, MNI, BRI and FI for (656) in the Southwest niche.	468
A2.22.	MNE, MNI, BRI and FI for (734) in the Southwest niche.	468

In memoriam George Mann

Caroline Malone

The re-discovery of the Xaghra Brochtorff Circle (1987-94) and the retrieval of prehistoric burials from the site represents the material that is the subject of this volume. Here we reassess and delve deeper into the detail of the excavated remains of a large prehistoric population and other prehistoric burials known from Malta and Gozo. The original Xaghra fieldwork was intense, hot and hard, and it took place mostly at the height of summer, during university vacations. Such work was not for the faint-hearted; early morning routines and 6-day weeks, crowded communal conditions - these were the standard experience for the young team of students and professional archaeologists who participated. It was an exciting learning experience for the 'young ones'. For two much older men, retired from their careers, to choose to participate in this frenetic and noisy environment was unexpected, but enormously significant and supportive to what was then a major and pioneering undertaking. These gentlemen, Dr George Mann (a

retired ENT consultant from Addenbrookes Hospital in Cambridge with a Masters in biological anthropology), and Kenneth Stoddart (just retired from a life of city commuting and business), brought maturity, wisdom, humour, compassion and humanity, as well as a vital breath of civilization to each annual season of work. We dedicated the 2009 volume to the memory of Kenneth Stoddart. This volume appropriately is dedicated to the memory of George Mann.

Dr George Edgar Mann (1923–2019) participated in the Gozo Project between 1990 and the completion of osteological study in 1996. Initially George, fresh from a post-retirement study of bioanthropology at Cambridge, came to assist Corinne Duhig who prepared the initial rock-cut tomb report. Professionally he had been a specialist consultant in otolaryngology at Addenbrookes Hospital in Cambridge, and had done his retirement MPhil dissertation on bony exostoses in the outer meatus of the ear, caused by swim-



Figure 0.1. *George and Sheila Mann at work in the kitchen of the dig house, systematically recording a skeleton 1994.*



Figure 0.2. *George Mann at work on the roof-top of the dig house in Gozo in 1994.*

ming in cold water. The Gozo assemblage demanded a rapid revision of his knowledge of the post cranial skeleton, but soon up to speed, George then came every year to participate in each field season and post-excavation study season. He worked tirelessly with his wife Sheila, processing the excavated bones, separating out the animal bones for study by Geraldine Barber, and identifying the human remains himself with his team. He cheerfully accepted the



Figure 0.3. *Sheila Mann cleaning bones for George in the dig house 1994.*

spartan and crowded living conditions where he spent much time at the kitchen table or on the roof of rented holiday flats, sorting endless sacks of bone fragments into coherent identified catalogues. He measured, studied and quantified as he went and ensured every fragment was recorded. Towards the end of the fieldwork, some osteological material was transported to Britain, and George continued to log, measure, examine and interpret the human material in preparation for the 2009 report. His systematic and painstaking recording work of the entire assemblage was of great importance, as the following pages reveal. Even with the ERC FRAGSUS Project resources, which provided funding at a level unimagined in the earlier excavation years, it has been possible only to re-examine a sample of the vast osteological archive. George managed to ensure that we have the fundamental knowledge of the scope of the assemblage, and this is listed in the first report (see Malone et al. 2009d) and it forms the base for ongoing research of these remarkable ancient people and the Xaghra site. The record was written by hand, and the hundreds of sheets of record remain in the archives of the National Museum of Archaeology, ready for future studies, and whilst the original digital database of those handwritten records becomes ever more antiquated, George's immense work remains a vital archive even as technology advances. All the teams, past and present, are delighted to dedicate this volume to George's memory and his tremendous contribution to Maltese and osteological scholarship.

Another key contributor to the work of the original Gozo Project was Ann Monsarrat, who lived on Gozo, and supported the project and its team with generosity and warmth over the many years of work and study.

In memoriam Ann Monsarrat

Anthony Pace

Ann Monsarrat (1937–2020) made her home on Gozo. where she moved in 1968 with her husband Nicholas. the author of many novels about Malta and the sea. Gozo was a special place for Ann, a home with people that she truly loved, respected and admired. Ann was a remarkable person. She was welcomed and felt at home in the small village of San Lawrenz, where she lived for more than four decades. Her house was forever busy with people dropping in and sharing news, experiences, aspirations, the changing fortunes of Malta and Gozo and, of course, the difficulties of writing and the literary world. But beyond these and many other conversations, Ann was particularly interested in landscape - Gozo's in particular - where archaeology, history and legends carved meaning out of a small island full of hills, valleys, majestic cliffs and skylines marked by parish church cupolas rising above quiet village houses.

FRAGSUS owes a great deal to Ann. For, unbeknown to her, several good friends - all archaeologists - whom she supported and entertained annually during the excavation of the Xaghra Brochtorff Circle between 1987 and 1994, came together again to deliver another important project. Ann would have certainly been happy and excited with the results of FRAGSUS. A career journalist and a distinguished author in her own right, with works such as And the Bride wore; Thackeray: An Uneasy Victorian; Gozo: island of oblivion, a graphic literary itinerary, Ann was particularly interested in the archaeology of Malta and Gozo. She was always keen to follow research developments and new discoveries, and was eager to see young scholars, budding archaeologists, photographers, historians, artists, writers, journalists, and so many others making headway in areas that she understood to be important in promoting Maltese cultural identity. Ann was in fact a formidable advocate of Maltese arts, culture and cultural heritage. Her work on the governing board of Saint James Cavalier

Centre for Creativity in Valletta, and her continuous presence in Gozitan cultural circles, as well as her various contributions to numerous publication projects reflected an enthusiasm and positiveness which was contagious and encouraging. Ann's enthusiasm shone every time she visited the Xagħra Brochtorff Circle excavations, during our long walks along the ta' Ċenċ promontory, during visits to the Cittadella, or when listening to the sounds rumbling from the depths of blocked shafts at the legendary clock-maker's salt-works on the north coast of Gozo. These were real places with real stories, some illustrated in prints, others silently waiting to be teased out from



Figure 0.4. *Anne Monsarrat (with kind permission of her family).*

stone monuments, field terraces and beautiful natural spots. Perhaps these were places whose biographies could best be understood by visiting and experiencing them in person.

One of the last places Ann and I visited together was the archaeological site at Ras il-Wardija on Gozo's western coast. The site is not an easy one to interpret, but from a spot rising several metres above the surrounding area, we shared an almost bird's-eye view of Dwejra with the distant Azur Window below us, and we chatted about the meaning of the site and its links to the sea: seascapes, ancient mariners, people lost at sea, shipwrecks; and also of builders who constructed beautiful places and made beautiful art, making the Maltese Islands their home for at least seven thousand years.

In these pages, the *FRAGSUS* team pays tribute to Ann Monsarrat.

Acknowledgements

The FRAGSUS Project 2013-18 is indebted to numerous individuals and institutions and acknowledges support throughout the course of a long and energetic project. In particular, we thank the European Research Council which awarded an Advanced Research Grant (Advanced Grant no. 323727) to Caroline Malone, as the Principal Investigator of the Project and the extended team in late 2012, enabling the project to take place between May 2013 and April 2018. Without this funding and the trust placed in us by the ERC and the grant assessors, this project could never have taken place. We express our gratitude for this opportunity to expand knowledge of Malta and indeed much else connected with prehistoric societies and their world in the early Mediterranaean. The research team also wants to record our indebtedness to the administrators of the grant within our own institutions, since this work required detailed and dedicated attention. In particular we thank Rory Jordan in the Research Support Office (Queen's University Belfast - QUB), Laura Cousens (Cambridge University - UoC), Glen Farrugia and Cora Magri (University of Malta - UM), the Curatorial, Finance and Designs & Exhibitions Departments in Heritage Malta (HM) and Stephen Borg at the Superintendence of Cultural Heritage (SCH).

All participants thank our Maltese colleagues for their hospitable and enthusiastic support of the research, from the CEO of Heritage Malta, the Minister for Culture Dr Owen Bonnici, and the Malta High Commissioner, his excellency Norman Hamilton and the British High Commissioner, his Excellency Stuart Gill, Dr Anthony Pace, Former Superintendent of Cultural Heritage and his deputy, Nathaniel Cutajar and their staff (Christian Mifsud, Mevrick Spiteri, Bernardette Mercieca-Spiteri) for enabling permits for the many sites explored during the research programme. We thank too the University of Malta and the staff of the Department of Archaeology and Classics, who enabled facilities, storage, meeting and research venues, student assistants, and logistics. In particular, we thank Chris Gemmell, Dr Maxine Anastasi, Prof. Nicholas Vella, Prof. Anthony Bonanno, and Dr Reuben Grima. The staff of Heritage Malta were instrumental in enabling access to sites, stores, and expertise. We especially thank Sharon Sultana in the National Museum of Archaeology, Ruby Cutajar when she was in the National Museum of Archaeology, Katya Stroud, Joanne Mallia, Dr Josef Caruana in Malta and Dr George Azzopardi, Daphne Sant Caruana, Nicolene Sagona and John Cremona in Gozo.

In Britain, the team thank the staff of the McDonald Institute, particularly Emma Jarman, and the Department of Archaeology for facilities and support and the Cambridge Biotomography Centre for access and use of facilities. At Queen's University Belfast, we thank the team in the 14CHRONO Lab under the direction of Prof. Paula Reimer for the swift and effective processing of AMS dates and isotopic analysis and, in particular, Stephen Hoper, Michelle Thompson, Jim McDonald, and Dr Ron Reimer who made this possible. We also thank John Meneeley for his exceptional work on scanning sites and processing data to provide images for ongoing research. At Trinity College Dublin, we thank Prof. Dan Bradley and his staff for supporting the aDNA study, which was funded separately from the ERC work, through the Wellcome Trust, and for the opportunity to add this important aspect of research to the study of Malta. We must also extend our thanks to all the participants, past and present who undertook the fieldwork at the Xaghra Brochtorff Circle in the 1980s-90s and to those who worked tirelessly to record the vast assemblage over the following years. For recent assistance we thank Chiara Marabelli who assisted in processing and cleaning human remains for study as part of the new bone team.

For the preparation of this volume, we thank Dr Rob Barratt, Dr Rowan McLaughlin, Dr Eóin Parkinson, Dr Jess E. Thompson and Olivia Shelton for assisting in the editing and assembly of this very substantial work. Prof. Simon Stoddart was the overall editor who undertook the major editing of the volume (including the index and glossary), the design of the opening and closing chapters and was in the grant application defined as responsible for the Human Population work group and the Landscape group in Cambridge. Prof. Caroline Malone undertook the preliminary assembly of the text, the checking and setting of tables and images, as well as much proofing and editing. We thank Emma Jarman in the McDonald Institute for her important role in coordinating the submission of material, and Dr James Barrett and Prof. Cyprian Broodbank (when James left Cambridge) for their oversight of the McDonald Monograph series. We thank Dr Matt Davies, the new Deputy Director and Editor of the Monograph Series, for guiding the volume into its final stages. In particular, we thank Ben Plumridge who undertook the task of production. Ben 'cut his teeth' in publication in 2007–9 when he was the principal assistant in the preparation of the 2009 *Mortuary Customs in Prehistoric Malta* (the original site report and the forerunner of the three companion volumes from *FRAGSUS*), making the work of the late Dora Kemp, his McDonald predecessor, as production editor so much easier. The archaeology of the island of Malta has thus continued to benefit from his support after his appointment as Production Editor of the McDonald series by Simon Stoddart when he was acting Deputy Director.

To all those involved, we thank you.

Preface

Caroline Malone and Simon Stoddart

This volume is the third in the FRAGSUS Project series. Volume 1: Temple Landscapes (edited by Charles French, Chris O. Hunt, Reuben Grima, Rowan McLaughlin, Simon Stoddart & Caroline Malone, 2020) focuses on the changing landscapes of early Malta, and provides the background for the following two volumes. Volume 2: Temple Places (edited by Caroline Malone, Reuben Grima, Rowan McLaughlin, Eóin W. Parkinson, Simon Stoddart & Nicholas Vella, 2020), reports on the archaeological studies of six sites through an examination of their chronological sequence, material culture and economic role in the Neolithic world of Malta. These discoveries set the scene against which Volume 3: Temple People (edited by Simon Stoddart, Ronika K. Power, Jess E. Thompson, Bernardette Mercieca-Spiteri, Rowan McLaughlin, Eóin W. Parkinson,

Anthony Pace and Caroline Malone, 2022) are reassessed. This volume also has an additional role since it follows on more directly from the 2009 publication: Mortuary Customs in Prehistoric Malta (edited by Caroline Malone, Simon Stoddart, Anthony Bonanno & David Trump, 2009). That volume revealed one of the largest prehistoric burial assemblages yet discovered in the Mediterranean, amounting to some 220,000 bones, with a rich assemblage of animal bone, figurative sculpture, symbolic artefacts and architectural remains. The new volume concentrates on the human remains, taking their evidence to a new level. In the light of better understanding of the changing environment and resources of a small island world, the early people of Malta emerge as a remarkable community telling an important tale of prehistoric resilience and survival.

Chapter 10

An isotopic study of palaeodiet at the Circle and the Xemxija tombs

Rowan McLaughlin, Ronika K. Power, Bernardette Mercieca-Spiteri, Eóin W. Parkinson, Emma Lightfoot, Alessandra Varalli, Jess E. Thompson, Catherine J. Kneale, Tamsin C. O'Connell, Paula J. Reimer, Simon Stoddart & Caroline Malone

10.1. Introduction

A key aim of the FRAGSUS Project was to improve understanding of the subsistence patterns and changes of the ancient residents of the Maltese Islands. As detailed in the introduction of Volume 1, food supply and dietary health were identified as important aspects of the sustainability of the prehistoric community. The goal has been to elucidate the relationship between the remarkable prehistoric cultures of the Maltese Islands and the landscape upon which human life depended, especially over two millennia of unstable environmental conditions. It is the notion of time that is particularly significant in this study, and the FRAGSUS Project has focused particular interest on dietary changes associated with the degradation of the island's soils, which was a natural process, but one likely accelerated with the pressures of intensifying agricultural practices (Volume 1, Chapters 2 and 3). In this chapter, we present an analysis of the palaeodietary inferences that can be drawn from stable isotopic analysis of human and animal tissue.

10.2. Background: previous work

Richards *et al.* (2001) measured carbon and nitrogen isotopic values in collagen samples from two individuals from the rock-cut tomb at the Circle, and five from the cave system. They concluded that there was no significant input of marine protein, nor any detectable dietary differences between the two time periods, and that 'Neolithic'-style agriculture was the subsistence base for the population. Lai, O'Connell and Tykot, reporting on their results in Stoddart *et al.* (2009a), expanded upon this initial study with carbon and nitrogen isotopic analyses of 24 individuals made in tandem with AMS radiocarbon dates, and four additional measurements of $\delta^{13}C_{coll}$, $\delta^{15}N_{coll}$, $\delta^{13}C_{apa}$ and $\delta^{18}O$ from bioapatite, of which the latter is a climatic and demographic proxy (discussed in Chapter 9). Their results confirmed the findings of Richards *et al.* (2001), and highlighted the rather substantial dietary differences between individuals from the site. They also detected a trend of decreasing collagen carbon isotopic values over time, although the significance of this trend could not be assessed given the relatively small number of samples. The lack of comparative faunal data to provide a baseline for the human isotope measurements hampered the ability of these earlier studies to quantify the relative importance of meat in the diet, and to exclude fully the possibility of some limited amount of fish.

10.3. Food sources in prehistoric Malta

Recent excavations by the *FRAGSUS Project* at prehistoric sites in Malta have unearthed a wealth of new archaeobotanical and faunal data. These consisted of assemblages constituting the traditional Neolithic 'package': wheat, barley, lentil and pea, and cattle, ovicaprines (sheep and goat, largely indistinguishable from each other) and pigs. Barley and wheat seemed to have been the most important food crops and ovicaprines were by far the most commonplace animal (see Volume 2, Chapter 9) and their slaughter patterns are consistent with a dairy economy.

Fish bones were only encountered sporadically in the faunal remains from prehistoric Malta, although shellfish (particularly limpets) are very commonplace, albeit in low numbers. This suggests that they were a regular part of the diet, but had limited significance in terms of their calorific value. The lack of fish bones on the archaeological sites, which seems surprising for an archipelago such as Malta, does not exclude

Code	$\delta^{13}C_{coll}$	$\delta^{\rm 15}N_{\rm coll}$	C:N ratio	Site	Species	Island	Period	Reference
UBA-37689	-20.8	5.8	3.20	Santa Verna	Bos	Gozo	Skorba	This study
UBA-37665	-20.6	6.7	3.24	Kordin III	Ovis	Malta	Mġarr	This study
UBA-37669	-20.5	6.9	3.23	Kordin III	Ovis	Malta	Mġarr	This study
UBA-29833	-20.6	11.1	3.23	Taċ-Ċawla	Ovicaprine	Gozo	Ġgantija	This study
UBA-37681	-20.5	8.5	3.22	Taċ-Ċawla	Bos	Gozo	Ġgantija	This study
UBA-29835	-21	6.7	3.22	Taċ-Ċawla	Bos	Gozo	Tarxien	This study
UBA-29836	-20.1	7.1	3.22	Taċ-Ċawla	Sus	Gozo	Tarxien	This study
UBA-31711	-19.5	6.8	3.23	Taċ-Ċawla	Sus	Gozo	Tarxien	This study
UBA-37683	-21.1	6.9	3.23	Taċ-Ċawla	Ovis	Gozo	Tarxien	This study
OxA-27687	-20.6	6.7	3.3	The Circle (Context 714)	Ovicaprine	Gozo	Tarxien	Malone et al. 2009d
UBA-10385	-21.7	4.23	3.1	The Circle (Context 1206)	Bos	Gozo	Tarxien	Malone et al. 2009d

Table 10.1. Comparative terrestrial faunal isotope data from the Maltese Islands.

Table 10.2. Comparative stable isotope measurements from ancient fish bone collagen from the Mediterranean region.

Species	Site	$\delta^{15}N_{coll}$ (‰)	δ ¹³ C _{coll} (‰)	Period	Reference
<i>Sparus</i> sp.	Santa Maira (Spain)	8.6	-15.2	Mesolithic	Salazar-Garcia et al. 2014
Mugil sp.	Santa Maira (Spain)	8.5	-15.2	Mesolithic	Salazar-Garcia et al. 2014
Sparidae (n=5)	Pompei (Italy)	6.7 ± 1.1	-14.6 ± 0.6	Roman period	Craig et al. 2013
Epinephelus marginatus	Cova des Riuets (Formentera)	10.1	-10.5	Bronze Age	Garcia-Guixé et al. 2010
Pagellus erythrinus	Cova des Riuets (Formentera)	8.2	-11	Bronze age	Garcia-Guixé et al. 2010
Sphyraena sphyraena	Cova des Riuets (Formentera)	9.4	-12.4	Bronze age	Garcia-Guixé et al. 2010

the possibility that they were an important part of the diet. Fish could have been consumed differently from terrestrial animals and their bones do have different taphonomic properties; together, these factors could render them less visible in the archaeological record. Therefore, a key objective of the stable isotope study was to clarify the stable isotope results and allow for an independent check on whether marine protein featured prominently in the diets of those buried at the Circle.

Measurements of carbon and nitrogen isotope ratios from animal bones, taken in tandem with the *FRAGSUS Project*'s programme of radiocarbon dating, provide a baseline for interpreting the results from human tissue (Tables 10.1 and 10.2).

10.3.1. Tooth enamel samples

Enamel surfaces were first cleaned by ablation prior to sampling. Approximately 6 to 10 mg of enamel were sampled by drilling enamel powder using a hand-held drill with a diamond-tipped drill bit. Sampling was performed in a vertical line along the crown. Enamel powder was pre-treated following Balasse (2002); samples were treated with 2–3% aqueous sodium hypochlorite (0.1 ml/mg) for 24 hrs at 4°C and then rinsed. They were then treated with 0.1M acetic acid (0.1 ml/mg) for four hours at room temperature, rinsed again and freeze-dried. Four modern horse dental standards were treated and analysed in the same manner to provide a control. The samples were analysed using an automated gas bench interfaced with a Thermo Finnigan MAT253 isotope-ratio mass spectrometer at the University of Cambridge. Carbon and oxygen isotopic ratios were measured on the delta scale against the international standard VPDB scales. Analytical error for this instrument has been recorded as less than 0.10‰ for oxygen and 0.08‰ for carbon.

10.3.2. Bone collagen

The samples of collagen in the current study were extracted from the roots of human molar teeth using the method described by Reimer *et al.* (2015). All samples were also ¹⁴C dated using AMS (Chapter 3); the isotope results discussed here were obtained on a separate line using IRMS at the 14CHRONO centre at Queen's University Belfast. Results are reported as delta values relative to the VPDB (carbon) and AIR (nitrogen) scales. IRMS machine uncertainties are sig δ^{13} C=0.22, sig δ^{15} N=0.15.

10.4. Data analysis

The data were first analysed using standard tools in the R environment for statistical computing, which was used to calculate summary statistics for various

groupings of the data, and to project the data into their principal components. To study trends in palaeodiet with time, linear regression models were applied using palaeodietary isotope results and their associated radiocarbon dates (Chapter 3). However, because of the radiocarbon history of the atmosphere, radiocarbon measurements have a complex probability structure once they have been 'calibrated' into calendar time and cannot be reduced to a reliable point estimate for inclusion in a linear model. To circumvent this natural limitation of the radiocarbon technique, we incorporated radiocarbon uncertainty by bootstrapping 500 individual linear regression models, each built from repeated 'Monte Carlo' samples drawn from the probability density functions of each radiocarbon date. The IntCal13 (Reimer et al. 2013) calibration dataset was used to calculate these using rowcal (McLaughlin 2019). The resulting set of 500 linear models were used to estimate a plausible range of correlation coefficients and R-squared values, using the mean and standard deviation of these statistics for each model. In this way we could assess the significance of any temporal trend apparent in the data. This is a new method for extracting information from paired radiocarbon / stable isotope samples developed for this project.

We also explored a Bayesian mixing model as a first step towards interpreting these results in the context of what is known about the isotopic content of dietary sources, and how these are routed through the food web. This approach depends on prior information about both the isotopic content of the foods people were eating, and how it was metabolized by their bodies. This exercise can only be considered preliminary, as data for dietary sources are still scant. We now have a reasonably good set of data for prehistoric Maltese terrestrial animals, measured as part of this study, although their results were rather variable. Unfortunately, few direct measurements of terrestrial plants and marine animals have been made (although see below, promising studies have emerged around lipid residue characterization in prehistoric pottery (Debone Spiteri and Craig, 2011)). The lack of suitable material from our excavations undertaken by FRAGSUS and at the Circle, namely the small size and sparse quantity of the charred seeds, meant priority was given to securing

an AMS date in preference to stable isotope measurements. Without a direct AMS date, any stable isotope measurements of charred seeds would not be a reliable indicator of conditions in prehistoric Malta because we could not be sure about their chronology. This situation is a result of the poor stratigraphic integrity of seeds in the rather loose soil profiles and the large amount of intrusive material that results. Indeed, we have detected significant quantities of this material in the sites excavated by the *FRAGSUS Project* in Malta and Gozo (see Volume 2, Chapter 9).

For the purposes of modelling food sources, we considered a 'concentration-independent' estimate of dietary protein, where the quantity of protein in the bulk of the source food is not considered during the mixture modelling process. This was done using the Bayesian mixing model simmr 0.4.5 (Parnell 2021), which was used to infer the proportions of food sources represented by the stable isotope data. Offsets for the enrichment of source isotopes took the values of 0.8±0.5‰ for ¹³C and 4±1.0‰ for ¹⁵N (cf Knipper et al. 2020; Styring et al. 2017 Hedges & Reynard 2007). For the central Mediterranean, the relatively small number of published source values for marine foods inevitably limits the scope of this exercise, as the bones of fish and marine mammals tend to be rare and poorly preserved on prehistoric sites. A review of the available literature illustrates how variable the isotope values from fish were, so for the purposes of this preliminary assessment a figure of 8.4±2.1‰ $\delta^{15}N_{coll}$ and -13.5±2.1‰ $\delta^{13}C_{coll}$ was used for fish (based on Table 10.3), 7 \pm 1.5 $\delta^{15}N_{coll}$ and -20.6 \pm 0.6‰ $\delta^{13}C_{coll}$ for terrestrial herbivores (this study), and 4.5 \pm 2.5‰ δ ¹⁵N_{coll} and -23.5 \pm 2‰ δ ¹³C_{coll} for terrestrial plants (based on averaging results from Knipper et al. 2020 & Vaiglova et al. 2014). The potentially complicating factor of C₄ pathway plants does not apply in Malta in the Temple Period (see Volume 2, Chapter 9).

10.5. Results

The average (mean, standard deviation) results for each site are shown in Table 10.3. Full details of each sample are given in Appendix Tables A2.3 & A2.4 and visualized in Figure 10.1.

Table 10.3. Summary results for each site. A full list detailing the results from each sample appears in Appendix Tables A2.3 & A2.4. *Note that not all isotope measurements were made for each element – see Appendix Table A2.3. Also note that at the Circle the minimum number of individuals in the isotope study is less than this figure.

Site	N elements*	Mean $\delta^{13}C_{coll}$ (‰)	S.d.	Mean $\delta^{\rm 15}N_{coll}l$ (‰)	S.d.	Mean δ ¹³ C _{apa} (‰)	S.d.
The Circle rock-cut tomb	18	-19.3	0.29	10.4	1.59	-12.5	0.88
The Circle main cave system	206	-19.3	0.36	10.7	0.98	-13.2	2.29
Xemxija	5	-19.3	0.23	10.3	0.26	-13.7	0.67



Figure 10.1. Stripcharts indicating the range and distribution of carbon and nitrogen isotopes in collagen from tooth dentine, and tooth enamel bioapatite carbon isotopic values at the Circle and Xemxija. The x-axis is random jitter allowing the variance of the data to be visualized.

In Figure 10.2 the results from collagen samples are visualized and compared with faunal samples from the Maltese Islands, and other human populations in the wider central Mediterranean region. The results indicate that both the Circle and the Xemxija individuals are consistently more enriched in nitrogen-15 compared with individuals from peninsular Italy, or indeed from neighbouring Sicily. One individual, identified as UB-10375 from Context (714) could be read as a recent immigrant to Malta as their diet is atypical, or a simply a statistical outlier as their isotopic measurements were made during earlier work with less refined laboratory protocols.

The offsets between the $\delta^{15}N_{coll}$ and $\delta^{13}C_{coll}$ animal mean values and the means of the three human groups show that the diet was consistent between the



Figure 10.2. Biplot of bone collagen carbon and nitrogen isotopic values from Circle and Xemxija, plotted with comparative data for the Neolithic of peninsular Italy and prehistoric Sicily, and Castiglione, an early Bronze Age site in southern Sicily (Varalli et al. 2014).

Site	$\Delta^{13}C_{human-animal}$ (%)	$\Delta^{15} \mathbf{N}_{\mathrm{human-animal}}$ (%)
Circle (rock-cut tomb)	1.3	3.4
Circle main cave / hypogeum	1.3	3.7
Xemxija	1.3	3.3

Table 10.4 Offsets between the $\delta^{15}N_{coll}$ and $\delta^{13}C_{coll}$ human and animal values.

rock-cut tomb and the main Tarxien phase burials, and also between Xagħra and Xemxija. These offsets (Table 10.4) are consistent with a mixed diet based on terrestrial animals and plant protein. The importance of animals in particular is suggested by the degree that the offsets fall with the established range of values that indicate a step to higher trophic levels (Minagawa and Wada 1984; Schoeninger & DeNiro 1984; Bocherens & Drucker 2003).

To investigate this in more detail, the results of our preliminary attempt at Bayesian mixture modelling of source foods are shown in Figure 10.3. The results clearly indicate a small but significant contribution from marine protein, as well as the likelihood that animal foods were the dominant sources of protein in the palaeodiet at Xagħra. The same pattern holds for the individuals from Xemxija and indeed for the earlier rock-cut tomb at Xagħra, although with less certainty because of the smaller sample size.





Context	Number ($\delta^{15}N_{coll}$ and $\delta^{13}C_{coll}$)	Number (δ ¹³ C _{apa})
783	16	36
951	5	41
960	6	9
1206	8	19
1241	6	5
1268	6	9

Table 10.5. Number of samples of human bone from well-sampled contexts subjected to isotopic analysis.

The large number of samples from certain contexts (Table 10.5) provides an opportunity to test whether some parts of the site contained human remains with palaeodietary signatures that differed significantly from the average results from across the site. In the event, however, the readings are remarkably homogenous, aside from statistical noise caused by the smaller sample size in certain contexts (Fig. 10.4). One possible exception is ¹⁵N values from Context (783), which tend to be lower than average, which probably reflects a chronological pattern, as discussed below.

Time-dependent changes in nitrogen isotope values can be caused by palaeoenvironmental changes, especially soil development and aridity, so a detailed look at this variable is called for. Turning first to faunal remains, using the bootstrapping method detailed above (§10.4) to develop the data into a time-series, there is an apparent spike in the ¹⁵N enrichment around 3300 cal. BC (Ggantija period), apparent in samples of both sheep/goat and, to a lesser degree, cattle from Taċ-Ċawla. Although more samples would be required to confirm this pattern, it suggests that there was an episode of aridity that drove ¹⁵N enrichment of herbivore remains to very high levels. An alternative explanation



Figure 10.4. Boxplots of the main isotopic results by context (width of the boxes is proportional to the sample size).



Figure 10.5. Nitrogen isotopic values of animal bone collagen, plotted as a time series using multiple bootstraps of the radiocarbon dates to represent chronological uncertainty. The spike around 3300 BC during the Ggantija period is very noticeable and may imply either heavily manuring or an episode of extreme aridity although further work will be needed to assess the significance of this.

is manuring (Bogaard *et al.* 2013), although this seems unlikely, as we would then expect to also find the signal in human remains from the period. In the event, however, the results the burials of this period from the rock-cut tomb are not significantly different from the later Tarxien-period individuals from the cave complex.

There is a slight but significant trend towards less enrichment of nitrogen-15 during that intensive

phase of Tarxien-period mortuary activity. Using a linear regression model we can estimate that the average $\delta^{15}N_{coll}$ value fell from around 11‰ to 10‰ over between 2900 and 2400 cal. BC. The regression is statistically significant (p<0.0005) and explains between 11% and 16% of the variability, with the confidence envelope caused by the inherent uncertainties of the radiocarbon dating process (Figure 10.6).



Figure 10.6. Multiple regression modelling the dependence of nitrogen isotope ratios on time. The results indicate a significant linear trend of decreasing enrichment explaining approximately 13% of the variability in the data (R^2 values).

10.6. Discussion and conclusion

It is clear that there is a palaeodietary signal that is distinct to the Maltese Islands. Within Malta, our study has found little difference between sites and time periods, aside from the subtle trend in nitrogen isotope ratios discussed above. One important finding is that the results from the Xemxija tombs are very similar to those from the Circle. Until this study, any generalizations about prehistoric human diet in the Maltese Islands have, to date, been made using results from the Circle alone. When we consider the dietary sources and their offsets, the highly elevated $\delta^{15}N$ values for the Ġgantija period skew any potential inference. The similarity of the Ggantija period individuals from the rock-cut tomb to the main cave system would suggest that whatever was causing the elevation of δ^{15} N in animal bones at this time did not affect humans; perhaps because animals did not feature prominently in the human diet and were foddered on separate crops to humans.

The human-animal offsets and the results of the source mixing modelling suggest that animal protein was more important than plant protein during the Temple Period in Malta. We cannot at present make a distinction between meat and dairy in this regard, other than point to zooarchaeological evidence of slaughter patterns consistent with a dairy economy (see Volume 2, Chapter 9). Future modelling work can avail of the additional information provided by our $\delta^{13}C_{apa}$ data, especially if a more extensive database for food sources can be assembled, in attempts to understand other components in the total diet, such as carbohydrate intake, which may present a more balanced picture of the relative importance of plants and animals. However, it remains that meat and/or dairy was of critical importance in Malta during the Temple Period, and this reiterates the fundamental relationship between people and domesticated animals that was key to sustaining island life. Dairy products have been reported from the early levels of Skorba by lipid analysis (Debono Spiteri et al. 2011; 2016) and an extension of such research combined with proteomic analysis would be invaluable in providing another line of evidence for dairy intake into the diet of prehistoric Malta. Could this factor have given rise to occasional occurrences of obesity (seen in the prehistoric art)? If some individuals had access to relatively high levels of dairy after impoverishment of diet in their early life course (§8.6.2.8), this could have led to the corpulence for which the artistic record is so famous.

It is also clear that throughout the Temple Period, marine food was much less important to these island residents than the foods grown and raised on the island. However, given the results of the Bayesian isotopic mixing modelling, the sea cannot be completely excluded as a secondary source of nourishment. This finding aligns with the archaeological data discussed in Volume 2, Chapter 9. *FRAGSUS Project* excavations at Taċ-Ċawla and Santa Verna produced a very small number of fish bones, but shellfish remains were ubiquitous in archaeological strata across the island, and the bones of marine birds are also quite numerous, several of which were modified into simple artefacts (see McCormick and Hamilton-Dyer in Volume 2, Chapter 9). The question of whether marine foods were eaten regularly, in small quantities, or whether they provided a major base of subsistence at during times of the year when other resources were scarce, must be left for future research.

Comparing the different strands of our analysis, aside from two outliers, the offset between $\delta^{13}C_{apa}$ and $\delta^{13}C_{col}$ for paired measurements was seemingly random, normally distributed around a mean value of -6‰. Outliers UBA-32038 and UBA-32039, both from Context (951) have significantly lower $\delta^{13}C_{apa}$ relative to their $\delta^{13}C_{col}$ values (-9‰ and -8‰ respectively), although this offset is not as extreme as the -10‰ measured during previous work for the samples BR2 and BR4 by Lai, O'Connell and Tykot (2009). Therefore, it seems the proxies are telling us different things, although no clear chronological or context-dependent pattern is forthcoming from either sets of data, the results are difficult to interpret beyond the exclusion of marine diet.

Compared with other regions, the nitrogen-15 results are most intriguing. These set Malta apart from peninsular Italy, and even neighbouring Sicily, reflecting the more arid climate and poorer soil development. The trend detected at the Circle in nitrogen-15 could reflect changing dietary practices, such as a gradual decline of the importance of meat and milk in the diet, or environmental factors. The latter interpretation is slightly at odds with geoarchaeological work undertaken by the *FRAGSUS Project* on Gozo, which suggests that a gradual aridification trend operated throughout the period considered here (Volume 1, Chapter 5).

More research will be needed to resolve the ultimate cause of this interesting pattern, and this should primarily focus on measurement of animal bone samples. This may prove challenging as, during the current phase of work, we attempted analysis of a further 22 animal bones from the archaeological sites excavated by the project, but all failed because of low collagen preservation (see Volume 2, Chapter 2). Despite these uncertainties and gaps that remain in our knowledge, the results discussed here nonetheless reveal a dynamic relationship between environment, agriculture and diet that was no doubt central to the lived experience of the individuals whose remains we study.

Temple people

The ERC-funded *FRAGSUS Project* (*Fragility and sustainability in small island environments: adaptation, culture change and collapse in prehistory, 2013–18*) led by Caroline Malone has focused on the unique Temple Culture of Neolithic Malta and its antecedents. This third volume builds on the achievements of *Mortuary customs in prehistoric Malta,* published by the McDonald Institute in 2009. It seeks to answer many questions posed, but left unanswered, of the more than 200,000 fragments of mainly commingled human remains from the Xagħra Brochtorff Circle on Gozo. The focus is on the interpretation of a substantial, representative subsample of the assemblage, exploring dentition, disease, diet and lifestyle, together with detailed understanding of chronology and the affinity of the ancient population associated with the 'Temple Culture' of prehistoric Malta. The first studies of genetic profiling of this population, as well as the results of intra-site GIS and visualization, taphonomy, health and mobility, offer important insights into this complex mortuary site and its ritual.

Remarkable evidence on the bioanthropology of care practised by these populations, together with a relatively low level of interpersonal violence, and examples of longevity, reveal new aspects about the Neolithic Maltese. Detailed case studies employing computerized tomography describe disease such as =scurvy and explore dietary issues, whilst physical activity and body size have been assessed through biomechanical analysis, supported by taphonomic study, isotopic analyses, a review of mortuary practices during prehistory and a robust new chronology. The results form a rich contextualized body of material that advances understanding of cultural change within the context of small island insularity, and provides biological comparisons for the graphic figurative art of early Malta. These data and the original assemblage are conserved in the National Museum of Archaeology in Valletta as a resource for future study.

Editors:

Simon Stoddart is Professor of Prehistory in the Department of Archaeology, University of Cambridge.
Ronika K. Power is Professor of Bioarchaeology in the Department of History and Archaeology at Macquarie University, and the Director of the Centre for Ancient Cultural Heritage and Environment (CACHE).
Jess E. Thompson is a research associate on the 'ANCESTORS' project at the McDonald Institute, Cambridge.
Bernardette Mercieca-Spiteri is the osteological officer of the Superintendence of Cultural Heritage of Malta.
Rowan McLaughlin is a Pathway Fellow at the Hamilton Institute, National University of Ireland, Maynooth, where he is principal investigator of the IRC-funded project 'A deep history of Ireland for the Information Age'.
Eóin W. Parkinson is a Leverhulme Research Fellow at the Department of Classics and Archaeology of the University of Malta.

Anthony Pace was Superintendent of Cultural Heritage on Malta during the course of the *FRAGSUS Project*. *Caroline Malone* is Professor in the School of Natural and Built Environment, Queen's University Belfast.

Published by the McDonald Institute for Archaeological Research, University of Cambridge, Downing Street, Cambridge, CB2 3ER, UK.

Cover design by Dora Kemp and Ben Plumridge.

ISBN: 978-1-913344-08-5



